MORE than just roofing

A traditional purlin strictly by definition is a horizontal structural member in a roof. Purlins customarily support the roof deck / cladding / sheeting and are in turn supported by the principal rafters / steel beams etc.

The typical roof structure consists of steel "I" beam rafters placed approximately 10 feet apart (this varies depending on purlin size and other variables) with either 4", 6", or 8" lightweight steel purlins installed horizontally across the rafters. In some instances, either 6" or 8" "C" purlins back to back can be used as rafters. This is known as a lightweight steel system.

Hat channels can also be used as a purlin where a lower profile is required or where the cover system requires closer purlin spacing.

HEAD OFFICE: Lot #62, Frederick Settlement Industrial Estate, Caroni.

FOR MORE INFO PLEASE CALL: **(868) 285-9164**






Z & C Pur & Hat Cha


Lightweight purlin systems make building construction fast and easy, allowing you to build the envelope and exterior wall and roof structures with little effort.




PRODUCT SPECIFICATIONS

C-PURLIN





Z-PURLIN



HAT CHANNEL

Hat Channel is 1mm thick

The benefits of using purlins are:

- Light weight
- High-strength properties increase efficiency
- Efficient logistics
- Good corrosion resistance
- Can be used also in demanding conditions
- Fully recyclable
- Greater fire resistance than wood

FOR MORE INFO PLEASE CALL:

(868) 285-9164



roofsystems






www.roofsystemstt.com

Visit us at: Caroni | Arima | Marabella | Port of Spain |

Tobago

Z & C Purlin & Hat Channel

- Eave Detail






Drawn: XXX	Profile: LW Framing		
Scale: NTS	Detail: Eave Detail		
Dwg. Chk. XXX	Dwg. No.		
Date: 03/08/2019	001		
	Job. No.	Sheet No.	Rev.

Z & C Purlin & Hat Channel

- Apex Detail

2"x 4"x 1.5mm Z-Purlin fasteners to C-Purlin rafters

3mm x 40mm x 80mm pre-fabricated flexible apex bracket with 12 mm dia. clearance holes inserted into C-purlin to receive 10mm dia. Cadmium plated bolts with nuts & washers



Typical Apex Connection




TEL:	1 (868)	285-9164	www.roofsystemstt.com
------	---------	----------	-----------------------

Drawn: XXX	Profile: LW Framing		
Scale: NTS	Detail: Apex Detail		
Dwg. Chk. XXX	Dwg. No.		
Date: 03/08/2019	002		
	Job. No. Sheet No. Rev.		

Z & C Purlin & Hat Channel

- Hip Detail



Typical HIP Rafter Detail



Drawn: XXX	Profile: LW Framing	
Scale: NTS	Detail: Hip Detail	
Dwg. Chk. XXX	Dwg. No.	
Date: 03/08/2019	003	
	Job. No. Sheet No. Rev.	